

From: Denise-T Page/R3/USEPA/US
Sent: 6/5/2012 4:33:37 PM

To: "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>
CC: "Mikal Shabazz" <Shabazz.Mikal@epamail.epa.gov>; "John Robb" <Robb.John@epamail.epa.gov>;
"bonnie.gross@epa.gov" <bonnie.gross@epa.gov>; "jacqueline.williams@epa.gov"
<jacqueline.williams@epa.gov>; "richard.fetzer@epa.gov" <richard.fetzer@epa.gov>
Subject: Re: Fw: Dimock Funding adjustments

Rich,
Yes both action were done
Denise T. Page
Contracting Officer
Environmental Protection Agency
Region III
1650 Arch Street
Philadelphia, PA 19103
(215) 814-5195

From: Richard Fetzer/R3/USEPA/US
To: Denise-T Page/R3/USEPA/US@EPA
Cc: Mikal Shabazz/R3/USEPA/US, John Robb/R3/USEPA/US@EPA, bonnie.gross@epa.gov, jacqueline.williams@epa.gov, richard.fetzer@epa.gov
Date: 06/05/2012 02:08 PM
Subject: Re: Fw: Dimock Funding adjustments

Just to be clear. The De-ob was taken care of...(I think). But the \$55K additional obligation to make the new TO ceiling \$110K I don't believe was done. We will need additional funding to get through the end of July. thanks. Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307

From: Denise-T Page/R3/USEPA/US
To: Mikal Shabazz/R3/USEPA/US
Cc: John Robb/R3/USEPA/US@EPA, bonnie.gross@epa.gov, jacqueline.williams@epa.gov, richard.fetzer@epa.gov
Date: 06/05/2012 10:15 AM
Subject: Re: Fw: Dimock Funding adjustments

This was taken care of last week
Denise T. Page
Contracting Officer
Environmental Protection Agency
Region III
1650 Arch Street
Philadelphia, PA 19103
(215) 814-5195

From: Mikal Shabazz/R3/USEPA/US
To: John Robb/R3/USEPA/US@EPA
Cc: Denise-T Page/R3/USEPA/US@EPA, bonnie.gross@epa.gov, jacqueline.williams@epa.gov, richard.fetzer@epa.gov
Date: 06/05/2012 09:17 AM
Subject: Re: Fw: Dimock Funding adjustments

Ok John, thanks for the current CO Contract Responsibility Status
Mikal Shabazz, ERRS Project Officer/Emergency Planner
Preparedness and Program Support Branch/HSCD
U.S. Environmental Protection Agency Region III
1650 Arch Street (3HS33)
Philadelphia, PA 19103
Ph: 215.814.3281/Fx:215.814.3254

From: John Robb/R3/USEPA/US
To: Mikal Shabazz/R3/USEPA/US, Denise-T Page/R3/USEPA/US@EPA
Date: 06/05/2012 08:21 AM
Subject: Re: Fw: Dimock Funding adjustments

Mikal,
Neicy is the CO for the expired contract.
Neicy,
Pls cut the mod to deob the funds per the email below.

John M. Robb
Contracting Officer
U.S. EPA, Region 3
1650 Arch Street, 3PM10
Philadelphia, PA 19103
215-814-5468

From: Mikal Shabazz/R3/USEPA/US
To: john.rob主@epa.gov
Cc: bonnie.gross@epa.gov, jacqueline.williams@epa.gov, richard.fetzer@epa.gov
Date: 06/04/2012 03:19 PM
Subject: Fw: Dimock Funding adjustments

Hi John,
As you can see from Rich Fetzer's message below, please de-obligate \$55K for funding for the subject Site from the old contract, Contract EP-S3-037-03, and increase the amount of funding for this site by \$55K on the new TO 001 under the new contract EP-S3-12-01. A PR for the TO 001 ceiling increase will be forthcoming shortly.

Mikal Shabazz, ERRS Project Officer/Emergency Planner
Preparedness and Program Support Branch/HSCD
U.S. Environmental Protection Agency Region III
1650 Arch Street (3HS33)
Philadelphia, PA 19103
Ph: 215.814.3281/Fx:215.814.3254

----- Forwarded by Mikal Shabazz/R3/USEPA/US on 06/04/2012 03:11 PM -----

From: Richard Fetzer/R3/USEPA/US
To: Mikal Shabazz <Shabazz.Mikal@epamail.epa.gov>
Cc: williams.jacqueline@epa.gov, mcdonald.joanna@epa.gov
Date: 06/04/2012 10:46 AM
Subject: Dimock Funding adjustments

Mikal,
Now that the initial TO for Kemron has run its course, we find that we will have \$55K in excess on the TO which can be deobligated asap. This will leave approx. \$7K for trailing costs.
More importantly, we will need \$55K to be put on the new TO for Kemron in order to run the site into July 2012, which is a certainty to happen. So in short....

Please

1. Deobligate \$55K from the initial TO for Kemron at Dimock
 2. Add \$55K to the current ceiling of \$55k for the new TO for Kemron at Dimock, bringing their new TO ceiling to \$110K.
- OK? They will run out of \$\$ on the new TO on June 12th.

Let me know if there are any questions.

thanks. We knew we would be doing this, but really had to wait to be closer to the end of the initial TO to manage the overall site ceiling.

Rich
Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307